

Grizzly[®] Industrial

CORPORATE HEADQUARTERS

P.O. BOX 2069, BELLINGHAM, WA, U.S.A.

TELEPHONE: (360) 647-0801 • FAX: (360) 676-1075

Introducing the Grizzly Model H8259 10" x 18" Benchtop Wood Lathe



MACHINE HIGHLIGHTS (see *Machine Data Sheet* for full specifications)

- ½ HP, 110V motor.
- 10" swing over bed and 18" distance between centers.
- Includes tool rest, live rolling center, spur center, and wrenches.
- Spindle speeds of 606, 917, 1343, 1960, and 2800 RPM.
- Heavy-duty cast iron bed and body construction!

The Model H8259 10" x 18" Benchtop Wood Lathe is available for \$215.00. As with all Grizzly machines, the H8259 is covered by a one-year warranty. For more information call 1-800-523-4777 or visit www.grizzly.com.



MACHINE DATA SHEET

Customer Service #: (570) 546-9663 · To Order Call: (800) 523-4777 · Fax #: (800) 438-5901

MODEL H8259 10" X 18" BENCH-TOP WOOD LATHE

Product Dimensions:

Weight..... 73 lbs.
 Length/Width/Height..... 36 x 11-1/2 x 15 in.
 Foot Print (Length/Width)..... 29-1/2 x 7-1/2 in.

Shipping Dimensions:

Type..... Cardboard
 Content..... Machine
 Weight..... 77 lbs.
 Length/Width/Height..... 33 x 17 x 12 in.

Electrical:

Minimum Circuit Size..... 15A
 Switch..... Paddle Type w/Disabling Key
 Switch Voltage..... 110
 Cord Length..... 6 ft.
 Cord Gauge..... 18 guage
 Plug Included..... 5-15

Motors:

Main

Type..... Capacitor Start
 Horsepower..... 1/2
 Voltage..... 110
 Prewired..... 110
 Phase..... Single
 Amps..... 7
 Speed..... 1725
 Cycle..... 60
 Number Of Speeds..... 1
 Power Transfer Belt Drive
 Bearings..... Shielded and Lubricated

Main Specifications:

Operation Information

Swing Over Bed..... 10 in.
 Dist Between Centers..... 18 in.
 Swing Over Tool Rest..... 4-1/2 in.
 No Of Spindle Speeds..... 5
 Spindle Speeds..... 826, 1205, 1713, 2422, 3337 RPM
 Floor To Center Height..... 5 in.

Spindle Information

Spindle Type..... Right Hand
 Spindle Taper..... MT#2
 Spindle Size..... 1 in.
 Spindle Bore..... 0.394 in.
 Spindle Center..... Spur
 Spindle TPI..... 8

Tailstock Information

Tailstock Taper..... MT#2
Tailstock Center..... Live

Construction

Bed Construction..... Cast Iron
Frame Construction..... Cast Iron and Steel
Headstock Construction..... Cast Iron and Steel
Tailstock Construction..... Cast Iron and Steel
Paint..... Epoxy

Other Related Information

Bed Width.....7-1/4 in.
Faceplate Size.....3 in.

Other Specifications:

Country Of Origin China
Warranty 1 Year
Serial Number Location Data Label on Lathe Bed
Assembly Time 10 min.